SICA)) loudspeakers ®

5,5 H 1,5 CP 8Ω


Code Z002800


- 1,5" voice coil Kapton former
 - Rubber surround with Double Asymmetric Rolls Technology (DAR)
 - T Damping Cone Treatment
 - Ferrite Magnet Circuit with Copper Demodulating Ring
 - Ventilated Magnet to reduce Power Compression
 - 86.7 dB sensitivity

5,5" | 240 W

Frequency Range 48-5500 Hz







Constructive Characteristics		
Magnet	Ferrite	
Basket Material	Aluminium Die-Cast	
Voice Coil Winding Material	Copper	
Voice Coil Former Material	Kapton	
Cone Material	Paper	
Cone Treatment	Surface Damping Treatment	
Surround Material	Rubber	
Dust Dome Material	Rubber	
Mounting Information		
Overall Diameter	148 mm	
Baffle Cutout Diameter	113 mm	
Mounting Holes	6 holes ø4,2 on ø138 mm	
Total Depth	71.5 mm	

(1) Rated Power measured with 2-hour test with pink noise signal, 6dB crest factor, loudspeaker in free air, power calculated on rated Zmin. (2) Power on Continuous Program is defined as 3dB greater than the Rated Power. (3) Calculated by Thiele & Small parameters, for SPL average in box refer to frequency response. (4) Thiele & Small parameters measured with laser system after preconditioning test. (5) Measured with respect to a THD of 10%. (6) Value corresponding to a decay of the Force Factor, or Compliance, or both, equal to the 50% of the small signal value. (7) Drawing dimensions: mm.

Ø148.0

6 holes Ø 4,2 on Ø 138 mm



General Speci	fications		
Nominal Diameter			140 mm (5,5")
Nominal Impedance			8 Ω
Rated Power AES ⁽¹⁾			120 W
Continuous Program Power ⁽²⁾			240 W
Sensitivity @ 1W/1m ⁽³⁾			86.7 dB
Voice Coil Diameter			38 mm (1,5")
Voice Coil Winding Depth			15 mm
Magnetic Gap Depth			6 mm
Flux Density			0.98 T
Magnet Weight			515 g
Net Weight			1.5 kg
Thiele & Smal	I Parameters (4)		
Re	6.1 Ω	Fs	48.5 Hz
Qms	4.15	Qes	0.41
Qts	0.37	Mms	12.0 g
Cms	897 µm/N	Bxl	7.4 Tm
Vas	7.81	Sd	78.5 cm ²
X max ⁽⁵⁾	+/-4.5 mm	X var ⁽⁶⁾	+/-6.5 mm
ηο	0.21 %	Le (1kHz)	0.53 mH

SICA Altoparlanti s.r.l. - ITALY - website: www.sica.it ; www.sicaspeakers.com - E-mail: lab@sica.it - Tel. +39-071-7958072 - Fax +39-071-7959006