


## 6 L 1,5 SL 8Ω

## 6" | 260 W

## **Code** Z004059



DAR Rubber surround with Double Asymmetric Rolls Technology (DAR)

WpT Waterproof Cone Treatment


Neodymium Magnet Circuit

VMVc Ventilated Magnet and Voice Coil to reduce Power Compression

91.0 dB sensitivity

Frequency Range 60-4000 Hz

4 holes 7x5 on ∅156 mm






| General Specif                     | fications      |                      |                       |
|------------------------------------|----------------|----------------------|-----------------------|
| Nominal Diameter                   |                |                      | 164 mm (6")           |
| Nominal Impedance                  |                |                      | 8 Ω                   |
| Rated Power AES (1)                |                |                      | 130 W                 |
| Continuous Program Power (2)       |                |                      | 260 W                 |
| Sensitivity @ 1W/1m <sup>(3)</sup> |                |                      | 91.0 dB               |
| Voice Coil Diameter                |                |                      | 38 mm (1,5")          |
| Voice Coil Winding Depth           |                |                      | 11 mm                 |
| Magnetic Gap Depth                 |                |                      | 6 mm                  |
| Flux Density                       |                |                      | 1.14 T                |
| Magnet Weight                      |                |                      | 98 g                  |
| Net Weight                         |                |                      | 0.9 kg                |
| Thiele & Small                     | Parameters (4) |                      |                       |
| Re                                 | 5.0 Ω          | Fs                   | 59.0 Hz               |
| Qms                                | 2.31           | Qes                  | 0.47                  |
| Qts                                | 0.39           | Mms                  | 14.1 g                |
| Cms                                | 516 µm/N       | Bxl                  | 7.50 Tm               |
| Vas                                | 11.0           | Sd                   | 122.7 cm <sup>2</sup> |
| X max <sup>(5)</sup>               | +/-2.5 mm      | X var <sup>(6)</sup> | +/-3.9 mm             |
| $\eta_0$                           | 0.47 %         | Le (1kHz)            | 0.48 mH               |
|                                    |                |                      |                       |











Frequency Response on 18 Lt @ 70 Hz Vented Box @ 1W, 1m Free Air Impedance

| Constructive Characteristics |                              |  |  |
|------------------------------|------------------------------|--|--|
| Magnet                       | Neodymium                    |  |  |
| Basket Material              | Pressed Sheet Steel          |  |  |
| Voice Coil Winding Material  | Copper                       |  |  |
| Voice Coil Former Material   | Aluminium                    |  |  |
| Cone Material                | Paper                        |  |  |
| Cone Treatment               | Surface Waterproof Treatment |  |  |
| Surround Material            | Rubber                       |  |  |
| Dust Dome Material           | Paper Ogive                  |  |  |
| Mounting Information         |                              |  |  |
| Overall Diameter             | 165,8 mm                     |  |  |
| Baffle Cutout Diameter       | 142 mm                       |  |  |
| Mounting Holes               | 4 holes 5x7 on ø156 mm       |  |  |
| Total Depth                  | 79.2 mm                      |  |  |

(1) Rated Power measured with 2-hour test with pink noise signal, 6dB crest factor, loudspeaker in free air, power calculated on rated Zmin. (2) Power on Continuous Program is defined as 3dB greater than the Rated Power. (3) Calculated by Thiele & Small parameters, for SPL average in box refer to frequency response. (4) Thiele & Small parameters measured with laser system after preconditioning test. (5) Measured with respect to a THD of 10%. (6) Value corresponding to a decay of the Force Factor, or Compliance, or both, equal to the 50% of the small signal value. (7) Drawing dimensions: mm.