
SICA)) loudspeakers ®

15 PNS 4 8Ω


Code Z008325





Subwoofer






Constructive Characteristics			
Magnet	Neodymium		
Basket Material	Aluminium Die-Cast		
Voice Coil Winding Material	Copper		
Voice Coil Former Material	Fiberglass		
Cone Material	Paper		
Cone Treatment	Total Waterproof Treatment		
Surround Material	Treated Cloth		
Dust Dome Material	Solid Paper		
Mounting Information			
Overall Diameter	388 mm		
Baffle Cutout Diameter	355 mm		
Mounting Holes	8 holes 6x9 on ø371 mm		
Total Depth	176.5 mm		

(1) Rated Power measured with 2-hour test with pink noise signal, 6dB crest factor, loudspeaker in free air, power calculated on rated Zmin. (2) Power on Continuous Program is defined as 3dB greater than the Rated Power. (3) Calculated by Thiele & Small parameters, for SPL average in box refer to frequency response. (4) Thiele & Small parameters measured with laser system after preconditioning test. (5) Measured with respect to a THD of 10%. (6) Value corresponding to a decay of the Force Factor, or Compliance, or both, equal to the 50% of the small signal value. (7) Drawing dimensions: mm.

n.8 holes 6.0x9.0 or Ø371.0 mm



General Speci	fications		
Nominal Diameter			388 mm (15")
Nominal Impedar	nce		8 Ω
Rated Power AE	S ⁽¹⁾		1200 W
Continuous Prog	ram Power ⁽²⁾		2400 W
Sensitivity @ 1W	//1m ⁽³⁾		95.8 dB
Voice Coil Diameter			100 mm (4")
Voice Coil Windir	ng Depth		27 mm
Magnetic Gap De	epth		12 mm
Flux Density			1.20 T
Magnet Weight			536 g
Net Weight			7.0 kg
Thiele & Smal	I Parameters (4)		
Re	5.1 Ω	Fs	37.3 Hz
Qms	5.21	Qes	0.38
Qts	0.35	Mms	161.8 g
Cms	112 µm/N	Bxl	22.73 Tm
Vas	116.3	Sd	855.3 cm ²
X max ⁽⁵⁾	+/-9.0 mm	X var ⁽⁶⁾	+/-9.0 mm
ηο	1.55 %	Le (1kHz)	1.42 mH

SICA Altoparlanti s.r.l. - ITALY - website: www.sica.it ; www.sicaspeakers.com - E-mail: lab@sica.it - Tel. +39-071-7958072 - Fax +39-071-7959006