





DE900TN HF Drivers Neo - 1.4 Inches

220 W continuous program power capacity 1.4" horn throat diameter 75 mm (3 in) aluminium voice coil Titanium diaphragm 500 - 18000 Hz response 108.5 dB sensitivity Neodymium magnet assembly with shorting copper cap

Specifications	
Throat diameter	36 mm (1.4 in)
Nominal impedance	8 Ω
Minimum impedance	7.8 Ω
Nominal power handling	110 W
Continuous power handling	220 W
Sensitivity (1W/1m)	108.5 dB
Frequency range	1 - 18 kHz
Recommended crossover	1.2 kHz
Voice coil diameter	75 mm (3.0 in)
Winding material	Aluminium
Inductance	0.14 mH
Diaphragm material	Titanium
Flux density	2.05 T
Magnet material	Neodymium Ring

Mounting And Shipping Info

Depth	65 mm (2.6 in)
Net weight	2.6 kg (5.7 lb)
Shipping units	4
Shipping weight	11.0 kg (24.2 lb)
Shipping box	300x160x180 mm (11.8x6.3x7.1 in)

Other

Rep diap

lacement	MMD900TN8
hragm	MMD9001N8

Mounting And Shipping Info

Specifications

Four M6 holes 90°	on 102 mm (4 in) diameter
Overall diameter	131 mm (5.2 in)